

PL Przed zastosowaniem należy zapoznać się z informacją zamieszczoną na zewnętrznej folii.

Preparat przeznaczony jest dla dzieci powyżej 3. roku życia.

Dawkowanie: zależy od stopnia odwodnienia i zaleceń lekarza.

W ciągu pierwszych 3-4 godzin zaleca się:

- przy lekkim odwodnieniu podawać 30-50 ml/kg masy ciała
- przy umiarkowanym odwodnieniu podawać 50-100 ml/kg masy ciała

Na dalszym etapie zaleca się podawać 5-10 ml/kg masy ciała po każdym biegunkowym stolcu lub wymiotach.

Sposób przygotowania: preparat gotowy do spożycia.

Wstrząsnąć przed użyciem. Po otwarciu przechowywać w lodówce, spożyć w ciągu 48 godzin.

Producent/ Manufacturer

IBSS BIOMED S.A.

Al. Sosnowa 8, 30-224 Kraków, Polska

tel.: +48 12 37 69 200, fax: +48 12 37 69 205,

informacjanaukowa@biomed.pl

www.biomed.pl

IBSS
biomed

DRINK

ORSALIT®

O SMAKU TRUSKAWKOWYM /
WITH STRAWBERRY FLAVOUR

DOUSTNY PŁYN
NAWADNIAJĄCY /

ORAL REHYDRATION
SOLUTION

200 ml



EN Read the product label on the outer foil sleeve before use.

The product is intended for children over 3 years of age.

Dosage: the dosage depends on the degree of dehydration and the medical recommendations. During the first 3-4 hours it is recommended to:

- in mild dehydration administer 30-50 ml per kilogram of body weight
- in moderate dehydration administer 50-100 ml per kilogram of body weight

At a later stage of rehydration it is recommended to administer 5-10 ml per kilogram of body weight after each diarrhoeal stool or vomiting.

Method of preparation: the product is ready for consumption. Shake before use. After opening, store in a refrigerator. Use within 48 hours.

Najlepiej spożyć przed końcem:
Best before end:

Numer partii:
Batch no:

Data produkcji:
Manufacturing date: